

**Sazba neoficinelních léčiv pro strany úlev
požívající.**

| | Gramů | Haleřů | | Gramů | Haleřů |
|--|-------|--------|--|-------|--------|
| Acetonum | 10 | 60 | Balsamin Peruvianum artef. | 10 | 270 |
| Acetopyrinum | 1 | 25 | Barium sulfur. puriss. (pro Roentgen) | 100 | 360 |
| Acetum pyrolignos. rect. | 100 | 60 | Benzinum | 100 | 120 |
| Acetyl-tannin | 10 | 270 | Bismuthum carbonic. | 10 | 730 |
| Acidum aceto-salicylic. | 10 | 285 | Bismuthum oxyiodato-gallic. | 1 | 120 |
| Acidum chromicum crud. | 10 | 115 | Bismuthum tannicum | 1 | 80 |
| Acidum diaethylbarbitur. | 1 | 145 | Bismuthum tribromphenyl. | 10 | 1350 |
| Acidum fornicatum 1:060 | 10 | 30 | Bismutose | 1 | 130 |
| Acidum gallicum | 10 | 360 | Bromocoll pulv. | 1 | 50 |
| Acidum oxalic. venale | 100 | 195 | Bromoform | 10 | 295 |
| Acidum oxalic. purum | 10 | 35 | Bromural | 10 | 1725 |
| Adalin | 1 | 555 | | | |
| Adrenalin. sol. Chloride (1:1000) | 1 | 60 | | | |
| Aether petrelei | 150 | 800 | Calcium bromatum | 10 | 150 |
| Aether salicylicus | 10 | 150 | Calcium carbolic. crud. | 100 | 60 |
| Aethylmorphinum hydrochloric. | 0.10 | 145 | Calcium carbonic. nativ. albiss. pulv. | 100 | 80 |
| Agaricinum puriss. | 0.10 | 20 | Calcium carbonic. nativ. pulv. venale | 100 | 55 |
| Agurinum | 1 | 530 | Calcium chlorat. pur. crystall. | 10 | 30 |
| Airotum | 1 | 100 | Calcium chlorat. pur. fusum. | 10 | 30 |
| Albarginum | 1 | 220 | Calcium glycerinophosphor. solubile | 1 | 50 |
| Albuminum tannic. (Tannin alb.) | 10 | 240 | Calcium lactic. pur. | 10 | 115 |
| Alsolum liquid. 50% | 10 | 150 | Calcium phospholactic. | 10 | 80 |
| Alumen ustum pulv. | 100 | 120 | Camphora monobromat. | 1 | 105 |
| Alumol | 1 | 63 | Carbo animalis puriss. pro usu interno | 10 | 120 |
| Alypinum bas. et pitr. | 0.10 | 25 | Carbo animalis puriss. pulv. (Carborent) | 100 | 520 |
| Amido-azo-toluol med. (Barlatová červeň) | 1 | 150 | Ceratum labiale rubrum | 10 | 70 |
| Amidopyrinum | 1 | 115 | Ceresin | 100 | 400 |
| Ammonium iodatum | 1 | 115 | Cerium oxal. | 1 | 80 |
| Amylenum hydratum | 10 | 165 | Choleval | 1 | 190 |
| Anaesthesin | 1 | 180 | Citarinum | 1 | 57 |
| Anaesthesia. hydrochlor. | 1 | 180 | Citrophen | 1 | 55 |
| Anthrasolum | 10 | 420 | Codeinum phosphoric. | 0.10 | 125 |
| Aqua Amygdal. amar. cone. | 10 | 30 | Codeinum purum | 0.10 | 120 |
| Aqua Amygdal amar. dil. | 100 | 200 | Coffeinum citricum | 1 | 80 |
| Aqua Cerasorum nigr. | 100 | 160 | Coffeinum hydrobromic. | 1 | 80 |
| Aqua Melissae | 100 | 200 | Coffeinum Natrio-salicylic. | 1 | 75 |
| Aqua Salviae | 100 | 160 | Collargolum | 1 | 1170 |
| Aqua Tiliae | 100 | 240 | Collodium cantharid. | 10 | 90 |
| Arecolinum hydrobrom. | 0.10 | 1680 | Cortex Chinæ Calys. pulv. | 10 | 50 |
| Argentaminum 10% | 1 | 70 | Cortex Chinæ rubrae pulv. gr. | 10 | 60 |
| Argentum acetaticum | 0.10 | 50 | Coryzin | 1 | 195 |
| Argentum colloidale | 1 | 435 | Creolinum Viennense | 10 | 20 |
| Argentum protenic. | 1 | 145 | Creosotal | 10 | 1010 |
| Argoninum | 1 | 65 | Crurin | 1 | 70 |
| Aspirinum | 10 | 675 | Cuprium citricum solub. | 1 | 10 |
| Aspirinum solubile | 10 | 595 | | | |
| Atephan | 1 | 180 | | | |

| | Gramm | Hälfte | | Gramm | Hälfte |
|--|-------|--------|--|-------|--------|
| Dermatolum | 10 | 880 | Haemogalol | 1 | 40 |
| Digalenum | 1 | 100 | Haemoglobinum solut. P. V. | 100 | 170 |
| Dimopyranum | 1 | 85 | Hegonon | 1 | 225 |
| Dioninum | 0.10 | 235 | Helmitol | 10 | 1770 |
| Diposalum | 1 | 110 | Heroinum purum | 0.01 | 105 |
| Diuretinum | 10 | 2175 | Heroinum hydrochlor. | 0.01 | 105 |
| Dormiolum sol. | 1 | 180 | Hexamethylentetramin | 10 | 375 |
| Duotalum | 10 | 2510 | Homatropinum hydrobrom. | 0.01 | 80 |
| | | | Honthin | 10 | 300 |
| | | | Hydrargyrum chloratum mite vapore paralum | 10 | 376 |
| Empyroformium | 10 | 450 | Hydrargyrum oxycyanat. | 1 | 30 |
| Epicarignum pur. | 1 | 420 | Hydrargyrum oxyd. rubrum laevigat. | 10 | 375 |
| Ergotin. Bonjean spissum | 1 | 390 | Hydrargyrum salicyl. | 1 | 50 |
| Eucainum Beta hydrochlor. | 1 | 450 | Hydrastinin hydrochl. | 0.10 | 420 |
| Eucalyptol. puriss. | 10 | 300 | Hydrogenium hyperoxydatum med. 30% (=100 Vol. pur.) | 100 | 520 |
| Euchininum | 1 | 375 | Hydropyrin | 1 | 20 |
| Eumenol | 10 | 870 | | | |
| Eunydrin | 0.10 | 600 | | | |
| Eurofen | 1 | 80 | | | |
| Extractum Chinae Nanning | 10 | 120 | Ichthalbinum | 1 | 90 |
| Extractum Gossypii fluidum rd. | 10 | 150 | Ichtharganum | 1 | 60 |
| Extractum Ipecacuanhae rd. fluidum | 10 | 1170 | Ichthyatum | 10 | 140 |
| Extractum hydrastidis spissum | 0.10 | 60 | Ichthyolum Ammonium | 10 | 270 |
| Extractum Kawa-Kawa rd. fluidum | 10 | 100 | Iodipin 10% | 10 | 210 |
| Extractum Liquiritae liqu. | 10 | 150 | Iodipin 20% | 10 | 315 |
| Extractum Myrtil. fruct. fluid. | 10 | 65 | Iodium | 1 | 525 |
| Extractum Rhois aromat. fluid. | 10 | 60 | Iothion | 1 | 520 |
| Extractum Thymi fluidum | 10 | 35 | | | |
| Extractum Valerianae fluidum | 10 | 60 | Kalium bichromicum | 100 | 825 |
| | | | Kalium sulfo-guaiacon. | 10 | 970 |
| Fermentum Cerevisiae siccum | 10 | 100 | Kresolum saponatum | 100 | 180 |
| Ferum album. liquid. Hell. | 100 | 420 | | | |
| Ferrum glycerinophosphor. in lamellis | 1 | 35 | Lactopheninum | 1 | 120 |
| Ferrum mangan. pepton. liquid. Hell | 100 | 400 | Lanoligen anhydric. | 10 | 105 |
| Ferrum mangan. sacchar. Hell | 100 | 320 | Lanoligen hydrosus | 10 | 80 |
| Folia Bucco (Diosmae crenat.) | 10 | 80 | Lentigallolum | 1 | 145 |
| Folia Coca sciss. | 10 | 25 | Lamentum saponato-campho- ratum liquid. | 100 | 650 |
| Folia Digital. titrata pulv. | 1 | 5 | Liquor hydrastinini | 1 | 255 |
| Folia Matico scissa | 10 | 15 | Luminal | 1 | 430 |
| Folia Sennae Alexandr. scissa | 100 | 780 | Luminal Natrium | 1 | 430 |
| Folia Sennae Alexandr. pulv. | 10 | 80 | Lysitol | 10 | 30 |
| Folia Sennae Alexandr. praep. | 10 | 95 | Lysiformium pur. | 100 | 480 |
| Folia Stramonii nitr. | 10 | 30 | Lysolum | 100 | 480 |
| | | | | | |
| Guaiacolum puriss. | 10 | 795 | Magnesium perhydrol 15% | 10 | 270 |
| Gummi Tragant. pulv. | 10 | 195 | Magnesium perhydrol 25% | 10 | 410 |
| | | | Magnesium peroxydat. 15% | 10 | 85 |

| | Gramū | Halėrū | | Gramū | Halėrū |
|--|-------|--------|---------------------------------|-------|--------|
| Magnesium peroxydat. 30% | 10 | 115 | Phenolphthaleinum pur. | 1 | 90 |
| Medinal | 1 | 190 | Pilulae Creosot sach. obd. 0·05 | | |
| Melubrin | 1 | 75 | 100 kusů | | 260 |
| Mentholum valerianic. | 1 | 270 | Pilulae Creosot sath. obd. 0·10 | | |
| Mesotanum | 10 | 1275 | 100 kusů | | 315 |
| Methylium salicylicum | 10 | 100 | Piperazin | 1 | 150 |
| Mygraenin | 1 | 130 | Pyramidonum | 1 | 140 |
| Morphinum aceticum | 0·10 | 115 | Fyrenolum pulv. | 1 | 45 |
| | | | Pyktnatin coeruleum | 1 | 75 |
| Naphthalanum | 100 | 470 | | | |
| Náptalínium crudum | 100 | 90 | Resorbinum | 10 | 260 |
| Natrium citric. neutral. pul. | 10 | 260 | | | |
| Natrium diaéthylbarbitur. | 1 | 190 | Sabromin | 1 | 105 |
| Natrium kakodylicum | 1 | 40 | Sajodin | 1 | 105 |
| Natrium thymico-benzoic. | 1 | 30 | Sal bromatum effervescent P. V. | 100 | 445 |
| Nitroglycerin. 1% solut. | 10 | 90 | Sal Thermar. artif. crystall. | 100 | 50 |
| Novaspriň | 1 | 230 | Sal Thermar. artif. pulv. | 100 | 65 |
| Novatophan | 1 | 225 | Salipyrinum | 1 | 80 |
| Noviform | 1 | 80 | Salitum purum | 1 | 125 |
| Novocain. hydrochlor. | 0·10 | 45 | Salolum | 10 | 255 |
| Novocoll | 1 | 24 | Salophenum | 1 | 200 |
| Novocoll-Chinin | 1 | 65 | Scopolaminum hydrobrom. | 0·01 | 887 |
| Odoform | 100 | 940 | Semen petroselini | 10 | 45 |
| Odorit | 100 | 240 | Sozojodol. Hydrarg. | 1 | 80 |
| Oleum amygd. amar. aether. | 1 | 65 | Sozojodol. Natrium | 1 | 140 |
| Oleum Anisi stellati | 1 | 42 | Sozojodol. Zincum | 1 | 145 |
| Oleum Anisi vulg. | 1 | 50 | Spartein hydrochl. | 0·10 | 20 |
| Oleum Carvi | 1 | 85 | Spartein sulfur. | 0·10 | 20 |
| Oleum Caryophyll. | 1 | 120 | Spiritus Aetheris chlorati | 10 | 115 |
| Oleum Chamomillae aeth. | 0·10 | 15 | Spiritus Aetheris nitros. | 10 | 115 |
| Oleum Eucalypti glob. | 1 | 40 | Spiritus Frumenti | 10 | 50 |
| Oleum Ieroris ferratum | 100 | 860 | Spiritus Vini gal. | 100 | 395 |
| Oleum Ieroris iodo-ferratum | 100 | 900 | Spirosal | 1 | 245 |
| Oleum Pini silvestr. | 10 | 210 | Strontium bromat. sicc. pulv. | 10 | 150 |
| Oleum Raparum | 100 | 240 | Stypticinum | 0·10 | 75 |
| Optochin | 0·10 | 60 | Styptol pulv. | 0·10 | 75 |
| Oraxinum tannicum | 1 | 420 | Succus Liquirit. venal. palv. | 10 | 120 |
| Orthofermijum, nové | 1 | 320 | Suprarenin. hydr. sol. synth. | | |
| | | | 1 : 1000 | 0·10 | 15 |
| Páncreon | 1 | 55 | Syrpus Bromoformii | 10 | 40 |
| Pantopon | 0·10 | 150 | Syrpus ferri oxyd. | 10 | 15 |
| Papaverinum hydrochlor. | 0·10 | 105 | Syrpus Liquiritiae | 10 | 20 |
| Paraldehydum | 10 | 165 | Syrpus Scillae | 10 | 15 |
| Pellidol | 1 | 410 | Syrpus Telutanus | 100 | 215 |
| Perhydrolum (Hydrogenium peroxyd. Merck) | 10 | 345 | Tannigenum | 1 | 60 |
| Peruolum | 10 | 270 | Tanninum diacetylicum | 10 | 270 |
| Petrosapolum | 100 | 240 | Tannoformium | 10 | 210 |
| Petrosulfolum | 10 | 100 | Terebinthina veneta | 100 | 1050 |
| | | | Terpinolum | 10 | 890 |

| | Gramů | Haléřů | | Gramů | Haléřů |
|---|-------|--------|---|-------|--------|
| Terpinhydrat. pulv. | 10 | 120 | Unguentum album camphor. | 10 | 220 |
| Theobrominum Natr. acet. | 1 | 120 | Unguentum Credé | 1 | 75 |
| Theophyllin Natr. acet. | 1 | 180 | Unguentum Digitalis | 10 | 80 |
| Theophyllin Natr. salicyl. | 1 | 150 | Unguentum sulfur. citr. | 100 | 680 |
| Theophyllin. purum | 1 | 110 | Unguentum Vaselini plumbic. | 10 | 60 |
| Theocinum | 1 | 205 | Uricedin | 10 | 105 |
| Theocinum Natrium aceticum | 1 | 185 | Urotropinum | 1 | 465 |
| Thiocelum | 1 | 145 | Urethan | 1 | 65 |
| Thiolum liquid. | 10 | 180 | | | |
| Thigenolum | 10 | 220 | | | |
| Tinctura Aconiti | 10 | 40 | Validolum | 1 | 285 |
| Tinctura Adonis vern. | 10 | 35 | Validolum camphor. | 1 | 280 |
| Tinct. Alcei | 10 | 40 | Vaselimum alb. (americk.) pro ophthalmolog. | 10 | 85 |
| Tinct. Asiae foetidae | 10 | 45 | Vaselimum alb. germ. (Ung. Paraffin.) | 10 | 75 |
| Tinct. Caryophil. | 10 | 70 | Vasogenum liquid. cum Jodo 6% | 10 | 250 |
| Tinct. Chinæ | 10 | 60 | 10% | 10 | 295 |
| Tinctura Coto | 10 | 45 | Vasogenum spissum | 10 | 105 |
| Tinctura Eucalypti glob. | 10 | 35 | Vasodium c. Jodo 7% | 10 | 250 |
| Tinct. ferri acetic. | 10 | 35 | Veronalum | 1 | 250 |
| Tinct. ferri acetic. aeth. | 10 | 60 | Veronal-Natrium | 1 | 250 |
| Tinct. ferri aromat. | 100 | 140 | Vieform | 1 | 90 |
| Tinct. iodi decolor. | 10 | 185 | | | |
| Tinctura Opii benzoica | 10 | 65 | Xeroformium | 1 | 105 |
| Tinctura Rhois toxicodendron | 10 | 50 | | | |
| Tinctura Sencagæ | 10 | 180 | | | |
| Tinct. Spilanthis olérac. comp. | 10 | 105 | | | |
| Tinct. Veratri albi | 10 | 35 | | | |
| Tinct. Veratri virid. | 10 | 35 | | | |
| Tonogenum suprar. 1 : 1000 | 1 | 70 | | | |
| Trigemin | 1 | 105 | | | |
| Tuberculin Kochi | 0·10 | 20 | Zineum valerian. | 1 | 110 |
| Tumenol-Ammonium | 1 | 35 | Zymoidin. | 10 | 600 |
| " " | 10 | 330 | | | |